



Get all the power you need:
Bosch Metalworking Tools - 2009.

For professionals from professionals.



BOSCH

Invented for life

E-mail: contact@caple.in Mobile: (91) 99200 71716

Working on metal is extremely tough. Demanding applications can test the wits of even the most battle hardened professionals. However, with the Bosch range of Metalworking tools, there is a lot you can accomplish. From powerful Angle Grinders, Straight Grinders, Nibblers, Shears to the Cut-off Saw and Rotary Drills, each of the tools are primed to perform and deliver outstanding results, no matter how tough the surface. The tools enable you a best performance that will give you complete confidence to perform a wide range of tasks. The range is packed with innovations, which provide you with maximum benefits even in tough conditions.

For powerful and reliable metalworking tools always trust Bosch.



Powerful and handy: Small Angle Grinders

The small angle grinders have powerful champion motors which offer best power/weight ratio for continuous use and overhead work. It is packed with innovations which give professionals the perfect combination of convenience and power.



4" Small Angle Grinders

Technical Specifications:

Model	GWS 6-100	GWS 8-100 C
Part Number	0 601 375 055	0 601 377 660/655
Grinding Disc Diameter	100 mm	100 mm
Power Input	670 W	850 W
No-load Speed	11000 rpm	11000 rpm
Spindle Thread	M 10	M 10
Weight	1.4 Kg	1.5 Kg



Constant Electronic (C)
Power booster for heavy loads. Constant speed, even under load.



5" Small Angle Grinders

Technical Specifications:

Model	GWS 6-125	GWS 850 CE	GWS 10-125 C
Part Number	0 601 375 155	0 601 378 703/755	0 601 702 755
Grinding Disc Diameter	125 mm	125 mm	125 mm
Power Input	670 W	850 W	1020 W
No-load Speed	11000 rpm	2800-11000 rpm	11000 rpm
Spindle Thread	M 14	M 14	M 14
Weight	1.5 Kg	1.5 Kg	1.6 Kg



Constant Electronic (C)
Power booster for heavy loads. Constant speed, even under load.



Electronic
Speed preselection for adjusting to suit any application



E-mail: contact@caple.in Mobile: (91) 99200 71716

Constant Electronic.

This feature helps the tools to work at constant speed even under heavy load

Heavy duty overhead job becomes more convenient!



5" Small Angle Grinders

Technical Specifications:

Model	GWS 11-125 CIE	GWS 14-125 CI	GWS 15-125 CIH
Part Number	0 601 823 200	0 601 824 200	0 601 830 202
Grinding/Polishing Disc Dia.	125 mm	125 mm	125 mm
Power Input	1100 W	1400 W	1500 W
No-load Speed	2800-11000 rpm	11000 rpm	11000 rpm
Spindle Thread	M 14	M 14	M 14
Weight	1.7Kg	1.8 Kg	1.9 Kg



Long handle (H)



Vibration Control
Patented vibration damping system

"The powerful grinders with additional protection "



GWS 11-125 CIE



GWS 14-125 CI



GWS 15-125 CIH

Vibration Control:

Vibration Control auxiliary handle reduces vibrations up to 70%.

Restart Protection:

Prevents the tools from automatically starting up after a power cut.

KickBack Stop:

This feature detects when the tools are jammed and shuts it down immediately.

Protective Guard:

The distortion-resistant protective guard protects against fragments that break away from the work object.



E-mail: contact@caple.in Mobile: (91) 99200 71716

Incredible power unleashed: Large Angle Grinders

Experience maximum power with large angle grinders which deliver a motor power from 2000 to 2600 watts. No matter how tough the applications are the tools are up and ready for the challenge ensuring fastest work. With added power and performance, the large angle grinders provide maximum benefits.



7" Large Angle Grinders

Technical Specifications:

Model	GWS 20-180	GWS 24-180	GWS 26-180 H	GWS 21 U
Part Number	0 601 849 155	0 601 853 455	0 601 855 493	0 601 353 155
Grinding / Cutting Disc Dia.	180 mm	180 mm	180 mm	Rubber backing pad
Power Input	2000 W	2400 W	2600 W	2100 W
No-load Speed	8500 rpm	8500 rpm	8500 rpm	5000 rpm
Spindle Thread	M 14	M 14	M 14	M 14
Weight	4.2 Kg	4.9 Kg	5.2 Kg	4.2 Kg




Vibration Control
Patented vibration
damping system



E-mail: contact@caple.in Mobile: (91) 99200 71716

Top performance with ultimate power



9" Large Angle Grinders

Technical Specifications

Model	GWS 20-230	GWS 24-230	GWS 26-230 H
Part Number	0 601 850 155	0 601 854 455	0 601 856 493
Grinding / Cutting Disc Dia.	230 mm	230 mm	230 mm
Power Input	2000 W	2400 W	2600 W
No-load Speed	6500 rpm	6500 rpm	6500 rpm
Spindle Thread	M 14	M 14	M 14
Weight	4.2 Kg	4.9 Kg	5.2 Kg



Vibration Control
Patented vibration
damping system



E-mail: contact@caple.in Mobile: (91) 99200 71716

Precision and versatility: Straight Grinders

Whether it is extremely precise grinding in hard-to-reach areas or cutting and trimming steel plates, the tools in this range make your job simpler and faster. The straight grinders, nibblers and shears provide the accuracy, power and reliability that help you perform a variety of applications with confidence.



Technical Specifications:

Model	GGG 27	GGG 27 L	GGG 27 LC
Part Number	0 601 210 003	0 601 215 003	0 601 215 703
Grinding Point Max Dia.	25 mm	25 mm	25mm
Tool Holder	8 mm	8 mm	8 mm
Power Input	500 W	500 W	600 W
No-load Speed	27000 rpm	27000 rpm	12000-27000 rpm
Spindle Collar Dia.	43 mm	43 mm	35 mm
Weight	1.3 Kg	1.4 Kg	1.6 Kg



Long Neck (L)



Constant Electronic
Power booster for heavy loads. Constant speed, even under load.

Shears and Nibblers



The handy tools for cutting application

Technical Specifications

Model	GSC 160	GSC 2.8
Part Number	0 601 500 403	0 601 506 103
Max. Cutting Depth in Steel	1.6 mm	2.8 mm
Max. Cutting Depth in Aluminium	2.2 mm	3.5 mm
Power Input	500 W	500 W
No-load Stroke Rate	5000 spm	2400 spm
Weight	1.8 Kg	2.7 Kg



Technical Specifications

Model	GNA 2.0	GNA 3.5
Part Number	0 601 530 103	0 601 533 103
Max. Cutting Depth in Steel	2 mm	3.5 mm
Max. Cutting Depth in Aluminium	2.5 mm	4 mm
Cutting width	E-mail: contact@caple.in Mobile: (91) 9920071716	
Power Input	500 W	620 W
No-load Stroke Rate	2400 spm	1000 spm
Weight	2.0 Kg	3.5 Kg



Robustness and efficiency: Cut-off Saw



The GCO 2000 Cut-off Saw delivers the most effortless cutting efficiency in its class. It cuts on and on with unrelenting power and makes short work of the toughest on-site tasks. Its high-quality metal body and base deliver exceptional support in the toughest work conditions.

Technical Specifications:

Model	GCO 2000
Part Number	0 601 B17 0K0 / 0K1
Saw Blade Diameter	355 mm
Capacity	2000 W
No-load Speed	3500 rpm
Weight	17 Kg (with lower guard)

Exact drilling just the way you want: Rotary Drills

The powerful Rotary Drills offer drilling of up to 32 mm diameter in steel. The tools enable exact pilot drilling and provide optimum power transfer for smoother working. With durability and ease of use, the rotary drills are up and ready for any challenge.



Technical Specifications:

Model	GBM 23-2	GBM 32-4
Part Number	0 601 121 103	0 601 130 203
Drilling Diameter in Wood	50/35 mm	70 mm
Drilling Diameter in Steel	23/13 mm	32 mm
Drilling Diameter in Aluminium	28/18 mm	50 mm
Power Input	1150 W	1500 W
No-load Speed	280/640 rpm	210/330/470/740 rpm
Weight	4.8 Kg	7.3 Kg

E-mail: contact@caple.in Mobile: (91) 99200 71716

Quality Power Tools Accessories: Cutting & Grinding Discs



Cutting & Grinding Discs

Description	Dimensions	Part Number
Grinding Discs Steel		
A 24 P BF	100 x 6.0 x 16.0	2 608 600 668
A 24 P BF	125 x 6.0 x 22.2	2 608 600 660
A 24 P BF	180 x 6.7 x 22.2	2 608 600 669
A 24 P BF	230 x 6.0 x 22.2	2 608 600 662
AS30 INOX	180 x 6.0 x 22.2	2 608 600 540
AS30 INOX	230 x 6.0 x 22.2	2 608 600 541
Cutting Discs Steel		
A 46 P BF	100 x 1.2 x 16.0	2 608 600 663
A 30 P BF	100 x 2.5 x 16.0	2 608 600 664
A 30 P BF	125 x 3.0 x 22.2	2 608 600 665
A 30 P BF	180 x 3.0 x 22.2	2 608 600 666
A 30 P BF	230 x 3.0 x 22.2	2 608 600 667
A 30 RBF Cut-off	355 x 2.8 x 25.4	2 608 600 936
A 30 RBF Cut-off	355 x 3.0 x 25.4	2 608 600 277
A 36 RBF	350 x 2.8 x 25.4	2 608 600 543
A 36 RBF	400 x 3.2 x 25.4	2 608 600 544
Cutting Discs INOX Stainless Steel		
AS60 INOX	125 x 1.0 x 22.2	2 608 600 549
AS46 INOX	180 x 1.6 x 22.2	2 608 600 710
AS46 INOX	230 x 1.9 x 22.2	2 608 600 711
A 30 T BF	125 x 2.0 x 22.2	2 608 600 094
A 30 T BF	180 x 2.0 x 22.2	2 608 600 095
A 30 T BF	230 x 2.0 x 22.2	2 608 600 096
AS60 TBF	105 x 1.0 x 16.0	2 608 607 414

E-mail: contact@caple.in Mobile: (91) 99200 71716



Head Office Caple Traders , 6, 7, 8 Kedia Chambers, Opp. Old Police Station, Near New Era Theatre, S.V. Road, Malad (W), Mumbai – 400064.
Tel: 022-28825542, 28894090, 28898531 | Fax: 022-28899725 | E-mail: web@caple.in | Website: www.caple.in

Demo Centre Caple Traders, Navdurga, Shah Arcade Building No. 8, Near Rani Sati Flyover, W.E. Highway, Malad (E), Mumbai - 400 097.
Tel: +91-22-28803584, 28803586 | Fax: +91-22-28441071 | E-mail: web@caple.in | Website: www.caple.in

Query Sheet

Company Name & Address -

Delivery Name & Address -

Contact Person -

Designation -

Mobile No -

Fax No -

Mail Id -

Item -

Model No (If Known) -

Capacity Size -

Application -

Expected Delivery Time -

Notes -

E-mail: contact@caple.in Mobile: (91) 99200 71716

